

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Pat. No. : 6,771,730
Applicant(s) : Dowben et al.
Issued : August 3, 2004
Title : BORON-CARBIDE SOLID STATE NEUTRON DETECTOR
AND METHOD OF USING THE SAME
Attorney Docket No. : IP-267/UNVN.62457
Customer No. : 05251

VIA EFS (01/09/2008)

ATTN: Certificate of Corrections Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

REQUEST FOR CERTIFICATE OF CORRECTION

Dear Sir:

It is respectfully requested that a Certificate of Correction be issued under 35 U.S.C. § 255, and in accordance with 37 C.F.R. § 1.323, in connection with the above-identified patent to correct the following errors:

Column 1, at line 12, add “This invention was made with government support under F49620-98-1-0463 awarded by the United States Air Force/AFOSR. The government has certain rights in the invention.”

In a clerical error, the foregoing government support clause was inadvertently omitted from the originally-filed application. Correction of the clerical error does not involve such changes in the patent as would constitute new matter or would require reexamination and, thus, a certificate of correction is the appropriate mechanism for correcting this error.

A post-issuance fee of \$100.00 per 37 C.F.R. § 1.20(a) has been included to correct for the applicant's mistake. It is believed that no other fee is due in connection with this request, but if this belief is in error, the Commissioner is hereby authorized to charge any additional required fee to Deposit Account No. 19-2112, referencing attorney docket number IP-267/UNVN.62457.

Respectfully submitted,

/ABRAN J. KEAN/

Abran J. Kean
Reg. No. 58,540

SHOOK, HARDY & BACON L.L.P.
2555 Grand Boulevard
Kansas City, Missouri 64108
Tel: 816.474.6550
Fax: 816.421.5547